







### **FOCUSED THREAT DETECTION**

M908<sup>™</sup> is specifically engineered for your most time-critical survey missions. The world's first handheld tool utilizing high-pressure mass spectrometry<sup>™</sup> (HPMS), M908 provides civilian, federal and military responders with expanded analysis capabilities for CBRNE and Hazmat identification and detection at the point of action. Weighing just 2.0 kg (4.4lbs), M908 is a light and lean tool focused on your priority chemical threats.

## **EXPANDING THE RESPONDER TOOLKIT**

The unique proficiency of handheld high-pressure mass spectrometry (HPMS) expands the first responder tool kit adding deep chemical detection capabilities beyond traditional tools. The selectivity of mass spectrometry allows M908 to detect near-trace quantities of critical threats amongst the myriad of interferents that plague other less selective technologies.

#### MISSIONS:

- Clan Lab
- EOD
- Hazmat response

#### **THREAT CATEGORIES:**

- CWA
- TIC/TIM
- Precursors
- Emerging threats

### **OPERATIONAL STRENGTHS:**

Near-trace vapors (low-mid ppm)

### **ATTRIBUTES:**

- Handheld
- Powered by mass spectrometry
- · Easy to hold, easy to maneuver
- Unmistakable audio and visual alerts
- Simple interface
- Low maintenance



# **SPECIFICATIONS**

Technology	High-Pressure Mass Spectrometry (HPMS)
Size	22 x 18.5 x 7.6 cm (8.7 x 7.3 x 3 in)
Power	Replaceable, rechargeable battery with > 4 hours of continuous operation
Display	Adjustable backlit display for direct sunlight and nighttime conditions, 10.9 cm (4.3 in) diagonal size, 800 x 480 resolution
Weight	2.0 kg (4.4 lbs), including battery
Mass Spectrometer	Microscale Ion Trap
Mass Range	55 - 400 Da; configurable to higher mass
Ionization Source	Non-radioactive, internal ionization, variable energy, dual polarity
Sample Introduction	Continuous gas/vapor analysis; rapid trace-to-bulk solid/liquid analysis via thermal desorption swabs
Alarm Type	Audible and visual for both detection and identification
Software	Embedded, self-contained, on-board analytics
Decontamination	IP-53 rated, chemical resistant housing spray/splash and wipe down
Operating Temperature	-4° – 104° F (-20° – 40° C)
Storage Temperature	-4° – 140° F (-20° – 60° C)



- Chemical Warfare Agents (CWA)
- Toxic Industrial Chemicals (TIC)
- · Simulants and precursors




Rugged and resistant to salt spray and other harsh environmental conditions.



Patented microscale ion trap technology enables operation without the need for extreme vacuum or additional gas supply.



Expandable threat list allows M908 to evolve With new hazards.



M908 allows for continuous monitoring of potential hazards.



